

## AMENDMENT


### In the Claims:

Please cancel claims 55-60 from the original application. New claims 80-83 have been added. Claims that are currently being amended are submitted with strikethrough for deleted matter and/or underlining for added matter.

1-54. (Canceled)


55-60 (Canceled)

55.61. (Previously presented) A compound of the formula I\*



enantiomers, diastereomers and pharmaceutically acceptable salts thereof, wherein

X<sup>1</sup>, X<sup>2</sup> and X<sup>3</sup>, together with the atoms to which they are bonded, form a ring selected from:



R<sup>1</sup>, R<sup>2</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are independently selected from groups of the formula  $-(CH_2)_n-(Z^1)_m-$   
 $(CH_2)_p-Z^2$ ;

R<sup>4</sup> is alkyl or substituted alkyl;

$Z^1$  is  $-CZ^3Z^4-$ ,  $-O-$ ,  $-NZ^3-$ ,  $-S-$ ,  $-SO-$ ,  $-SO_2-$ ,  $-C(O)-$ ,  $-C(O)Z^3-$ ,  $-C(O)NZ^4$ ,  $-C(S)-$ ,  $-C(=NOZ^3)-$ , alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^2$  is hydrogen;  $-OZ^5$ ,  $-OC(O)Z^5$ ,  $-NZ^5-C(O)-Z^6$ ,  $-NZ^5-CO_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-NO_2$ , halo,  $-CN$ ,  $-C(O)Z^5$ ,  $-CO_2Z^5$ ,  $-C(S)Z^5$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^5Z^6$ ,  $-C(S)NZ^5Z^6$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO_2Z^5$ ,  $-SO_2NZ^5Z^6$ , alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO_2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;

or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not

together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.

~~56.~~ 62. (Currently amended) A compound of claim ~~20~~ 61 wherein  $R^{3*}$  is heterocyclo; substituted heterocyclo;  $-C(O)NZ^5Z^6$ ,  $-C(O)Z^3C(O)NZ^5Z^6$ ,  $-C(O)Z^3-CO_2Z^5$ ,  $-C(O)Z^3$ -(aryl),  $-C(O)Z^3$ -(substituted aryl),  $-C(O)Z^3$ -(heterocyclo), or  $-C(O)Z^3$ -(substituted heterocyclo).

~~57.~~ 63. (Currently amended) A compound of claim ~~21~~ 62 wherein

$R^1$  is H; and

$R^2$  is aryl, substituted aryl, heterocyclo, substituted heterocyclo, carbocyclo or substituted carbocyclo.


~~58.~~ 64. (Currently amended) A compound of claim ~~20~~ 61 wherein  $R^{3*}$  is heterocyclo or substituted heterocyclo.

~~59.~~ 65. (Currently amended) A compound of claim ~~23~~ 64 wherein

$R^1$  is H; and


$R^2$  is aryl, substituted aryl, heterocyclo, substituted heterocyclo, carbocyclo or substituted carbocyclo.

~~60.~~ 66. (Currently amended) A method of treating atrial arrhythmias comprising administering to a patient in need thereof an effective amount of at least one compound of formula I\*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

$X^1$ ,  $X^2$  and  $X^3$ , together with the atoms to which they are bonded, form a ring selected from:



$R^1$ ,  $R^2$ ,  $R^5$ ,  $R^6$  and  $R^7$  are independently selected from groups of the formula  $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$ ;

$R^4$  is alkyl or substituted alkyl;

$Z^1$  is  $-CZ^3Z^4-$ ,  $-O-$ ,  $-NZ^3-$ ,  $-S-$ ,  $-SO-$ ,  $-SO_2-$ ,  $-C(O)-$ ,  $-C(O)Z^3-$ ,  $-C(O)NZ^4$ ,  $-C(S)-$ ,  $-C(=NOZ^3)-$ , alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^2$  is hydrogen;  $-OZ^5$ ,  $-OC(O)Z^5$ ,  $-NZ^5-C(O)-Z^6$ ,  $-NZ^5-CO_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-NO_2$ , halo,  $-CN$ ,  $-C(O)Z^5$ ,  $-CO_2Z^5$ ,  $-C(S)Z^5$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^5Z^6$ ,  $-C(S)NZ^5Z^6$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO_2Z^5$ ,  $-SO_2NZ^5Z^6$ , alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO^2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;

or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;


m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.

~~61.~~ 67. (Currently amended) A method of claim ~~1~~ 66 wherein the atrial arrhythmia is atrial fibrillation.


~~62.~~ 68. (Currently amended) A method of claim ~~1~~ 66 wherein the atrial arrhythmia is atrial flutter.

63- 69. (Currently amended) A method of controlling heart rate comprising administering to a patient in need thereof an effective amount of at least one compound of formula I\*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X<sup>1</sup>, X<sup>2</sup> and X<sup>3</sup>, together with the atoms to which they are bonded, form a ring selected from:



R<sup>1</sup>, R<sup>2</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are independently selected from groups of the formula -(CH<sub>2</sub>)<sub>n</sub>-(Z<sup>1</sup>)<sub>m</sub>-(CH<sub>2</sub>)<sub>p</sub>-Z<sup>2</sup>;

R<sup>4</sup> is alkyl or substituted alkyl;

Z<sup>1</sup> is -CZ<sup>3</sup>Z<sup>4</sup>-, -O-, -NZ<sup>3</sup>-, -S-, -SO-, -SO<sub>2</sub>-, -C(O)-, -C(O)Z<sup>3</sup>-, -C(O)NZ<sup>4</sup>-, -C(S)-, -C(=NOZ<sup>3</sup>)-, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z<sup>2</sup> is hydrogen; -OZ<sup>5</sup>, -OC(O)Z<sup>5</sup>, -NZ<sup>5</sup>-C(O)-Z<sup>6</sup>, -NZ<sup>5</sup>-CO<sub>2</sub>-Z<sup>6</sup>, -NZ<sup>5</sup>(C=O)-NZ<sup>6</sup>Z<sup>7</sup>, -NZ<sup>5</sup>Z<sup>6</sup>, -NO<sub>2</sub>, halo, -CN, -C(O)Z<sup>5</sup>, -CO<sub>2</sub>Z<sup>5</sup>, -C(S)Z<sup>5</sup>, -(C=NOZ<sup>5</sup>)Z<sup>6</sup>, -C(O)NZ<sup>5</sup>Z<sup>6</sup>, -C(S)NZ<sup>5</sup>Z<sup>6</sup>, -SZ<sup>5</sup>, -SOZ<sup>5</sup>, -SO<sub>2</sub>Z<sup>5</sup>, -SO<sub>2</sub>NZ<sup>5</sup>Z<sup>6</sup>, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO^2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;


or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and


q is an integer selected from 1 to 3.

64. 70. (Currently amended) A method of treating gastrointestinal disorders comprising administering to a patient in need thereof an effective amount of at least one compound of formula I\*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X<sup>1</sup>, X<sup>2</sup> and X<sup>3</sup>, together with the atoms to which they are bonded, form a ring selected from:



R<sup>1</sup>, R<sup>2</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are independently selected from groups of the formula -(CH<sub>2</sub>)<sub>n</sub>-(Z<sup>1</sup>)<sub>m</sub>-(CH<sub>2</sub>)<sub>p</sub>-Z<sup>2</sup>;

R<sup>4</sup> is alkyl or substituted alkyl;

Z<sup>1</sup> is -CZ<sup>3</sup>Z<sup>4</sup>-, -O-, -NZ<sup>3</sup>-, -S-, -SO-, -SO<sub>2</sub>-, -C(O)-, -C(O)Z<sup>3</sup>-, -C(O)NZ<sup>4</sup>-, -C(S)-, -C(=NOZ<sup>3</sup>)-, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z<sup>2</sup> is hydrogen; -OZ<sup>5</sup>, -OC(O)Z<sup>5</sup>, -NZ<sup>5</sup>-C(O)-Z<sup>6</sup>, -NZ<sup>5</sup>-CO<sub>2</sub>-Z<sup>6</sup>, -NZ<sup>5</sup>(C=O)-NZ<sup>6</sup>Z<sup>7</sup>, -NZ<sup>5</sup>Z<sup>6</sup>, -NO<sub>2</sub>, halo, -CN, -C(O)Z<sup>5</sup>, -CO<sub>2</sub>Z<sup>5</sup>, -C(S)Z<sup>5</sup>, -(C=NOZ<sup>5</sup>)Z<sup>6</sup>, -C(O)NZ<sup>5</sup>Z<sup>6</sup>, -C(S)NZ<sup>5</sup>Z<sup>6</sup>, -SZ<sup>5</sup>, -SOZ<sup>5</sup>, -SO<sub>2</sub>Z<sup>5</sup>, -SO<sub>2</sub>NZ<sup>5</sup>Z<sup>6</sup>, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;



$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO^2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;

or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;


m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.

65. 71. (Currently amended) The method of claim 6 70 wherein the ~~gastrointestinal~~ gastrointestinal disorder is reflux esophagitis.


66. 72. (Currently amended) The method of claim 6 70 wherein the gastrointestinal disorder is motility disorders.

67. 73. (Previously presented) A method of treating inflammatory or immunological disease comprising administering to a patient in need thereof an effective amount of at least one compound of formula I\*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X<sup>1</sup>, X<sup>2</sup> and X<sup>3</sup>, together with the atoms to which they are bonded, form a ring selected from:



R<sup>1</sup>, R<sup>2</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are independently selected from groups of the formula -(CH<sub>2</sub>)<sub>n</sub>-(Z<sup>1</sup>)<sub>m</sub>-(CH<sub>2</sub>)<sub>p</sub>-Z<sup>2</sup>;

R<sup>4</sup> is alkyl or substituted alkyl;

Z<sup>1</sup> is -CZ<sup>3</sup>Z<sup>4</sup>-, -O-, -NZ<sup>3</sup>-, -S-, -SO-, -SO<sub>2</sub>-, -C(O)-, -C(O)Z<sup>3</sup>-, -C(O)NZ<sup>4</sup>-, -C(S)-, -C(=NOZ<sup>3</sup>)-, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z<sup>2</sup> is hydrogen; -OZ<sup>5</sup>, -OC(O)Z<sup>5</sup>, -NZ<sup>5</sup>-C(O)-Z<sup>6</sup>, -NZ<sup>5</sup>-CO<sub>2</sub>-Z<sup>6</sup>, -NZ<sup>5</sup>(C=O)-NZ<sup>6</sup>Z<sup>7</sup>, -NZ<sup>5</sup>Z<sup>6</sup>, -NO<sub>2</sub>, halo, -CN, -C(O)Z<sup>5</sup>, -CO<sub>2</sub>Z<sup>5</sup>, -C(S)Z<sup>5</sup>, -(C=NOZ<sup>5</sup>)Z<sup>6</sup>, -C(O)NZ<sup>5</sup>Z<sup>6</sup>,

-C(S)NZ<sup>5</sup>Z<sup>6</sup>, -SZ<sup>5</sup>, -SOZ<sup>5</sup>, -SO<sub>2</sub>Z<sup>5</sup>, -SO<sub>2</sub>NZ<sup>5</sup>Z<sup>6</sup>, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z<sup>3</sup>, Z<sup>4</sup>, Z<sup>5</sup>, Z<sup>6</sup> and Z<sup>7</sup> are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

Z<sup>3</sup>, Z<sup>4</sup>, Z<sup>5</sup>, Z<sup>6</sup> and Z<sup>7</sup> may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

R<sup>3\*</sup> is -OZ<sup>5</sup>, -OC(O)-Z<sup>5</sup>, -NZ<sup>5</sup>-C(O)<sub>2</sub>-Z<sup>6</sup>, -NZ<sup>5</sup>(C=O)-NZ<sup>6</sup>Z<sup>7</sup>, -NZ<sup>5</sup>Z<sup>6</sup>, -(C=NOZ<sup>5</sup>)Z<sup>6</sup>, -C(O)NZ<sup>5\*</sup>Z<sup>6\*</sup>, -C(S)NZ<sup>5\*</sup>Z<sup>6\*</sup>, -SZ<sup>5</sup>, -SOZ<sup>5</sup>, -SO<sub>2</sub>Z<sup>5</sup>, -SO<sub>2</sub>NZ<sup>5</sup>Z<sup>6</sup>, -C(O)Z<sup>3\*</sup>-Z<sup>2\*</sup>, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

Z<sup>2\*</sup> is other than hydrogen when Z<sup>3\*</sup> is heterocyclo;

Z<sup>3\*</sup> is heterocyclo or substituted heterocyclo;

Z<sup>5\*</sup> is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

Z<sup>6\*</sup> is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that Z<sup>6\*</sup> is not hydrogen when Z<sup>5\*</sup> is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;

or Z<sup>5\*</sup> and Z<sup>6\*</sup> may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that Z<sup>5\*</sup> and Z<sup>6\*</sup> do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;


n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.


~~68~~. 74. (Currently amended) The method of claim ~~67~~ 73 wherein the disease is chronic obstructive pulmonary disease.

~~69~~. 75. (Previously presented) A method of treating diabetes comprising administering to a person in need thereof an effective amount of at least one compound of formula I\*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X<sup>1</sup>, X<sup>2</sup> and X<sup>3</sup>, together with the atoms to which they are bonded, form a ring selected from:



R<sup>1</sup>, R<sup>2</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are independently selected from groups of the formula -(CH<sub>2</sub>)<sub>n</sub>-(Z<sup>1</sup>)<sub>m</sub>-(CH<sub>2</sub>)<sub>p</sub>-Z<sup>2</sup>;

R<sup>4</sup> is alkyl or substituted alkyl;

Z<sup>1</sup> is -CZ<sup>3</sup>Z<sup>4</sup>-, -O-, -NZ<sup>3</sup>-, -S-, -SO-, -SO<sub>2</sub>-, -C(O)-, -C(O)Z<sup>3</sup>-, -C(O)NZ<sup>4</sup>-, -C(S)-, -C(=NOZ<sup>3</sup>)-, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z<sup>2</sup> is hydrogen; -OZ<sup>5</sup>, -OC(O)Z<sup>5</sup>, -NZ<sup>5</sup>-C(O)-Z<sup>6</sup>, -NZ<sup>5</sup>-CO<sub>2</sub>-Z<sup>6</sup>, -NZ<sup>5</sup>(C=O)-NZ<sup>6</sup>Z<sup>7</sup>, -NZ<sup>5</sup>Z<sup>6</sup>, -NO<sub>2</sub>, halo, -CN, -C(O)Z<sup>5</sup>, -CO<sub>2</sub>Z<sup>5</sup>, -C(S)Z<sup>5</sup>, -(C=NOZ<sup>5</sup>)Z<sup>6</sup>, -C(O)NZ<sup>5</sup>Z<sup>6</sup>, -C(S)NZ<sup>5</sup>Z<sup>6</sup>, -SZ<sup>5</sup>, -SOZ<sup>5</sup>, -SO<sub>2</sub>Z<sup>5</sup>, -SO<sub>2</sub>NZ<sup>5</sup>Z<sup>6</sup>, alkyl, substituted alkyl, alkenyl,

substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO^2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;


or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and


q is an integer selected from 1 to 3.

70. 76. (Previously presented) A method of treating cognitive disorders comprising administering to a patient in need thereof an effective amount of at least one compound of formula I\*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X<sup>1</sup>, X<sup>2</sup> and X<sup>3</sup>, together with the atoms to which they are bonded, form a ring selected from:



R<sup>1</sup>, R<sup>2</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are independently selected from groups of the formula -(CH<sub>2</sub>)<sub>n</sub>-(Z<sup>1</sup>)<sub>m</sub>-(CH<sub>2</sub>)<sub>p</sub>-Z<sup>2</sup>;

R<sup>4</sup> is alkyl or substituted alkyl;

Z<sup>1</sup> is -CZ<sup>3</sup>Z<sup>4</sup>-, -O-, -NZ<sup>3</sup>-, -S-, -SO-, -SO<sub>2</sub>-, -C(O)-, -C(O)Z<sup>3</sup>-, -C(O)NZ<sup>4</sup>-, -C(S)-, -C(=NOZ<sup>3</sup>)-, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z<sup>2</sup> is hydrogen; -OZ<sup>5</sup>, -OC(O)Z<sup>5</sup>, -NZ<sup>5</sup>-C(O)-Z<sup>6</sup>, -NZ<sup>5</sup>-CO<sub>2</sub>-Z<sup>6</sup>, -NZ<sup>5</sup>(C=O)-NZ<sup>6</sup>Z<sup>7</sup>, -NZ<sup>5</sup>Z<sup>6</sup>, -NO<sub>2</sub>, halo, -CN, -C(O)Z<sup>5</sup>, -CO<sub>2</sub>Z<sup>5</sup>, -C(S)Z<sup>5</sup>, -(C=NOZ<sup>5</sup>)Z<sup>6</sup>, -C(O)NZ<sup>5</sup>Z<sup>6</sup>, -C(S)NZ<sup>5</sup>Z<sup>6</sup>, -SZ<sup>5</sup>, -SOZ<sup>5</sup>, -SO<sub>2</sub>Z<sup>5</sup>, -SO<sub>2</sub>NZ<sup>5</sup>Z<sup>6</sup>, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO^2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;

or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;


n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.


71- 77. (Previously presented) A method of treating migraine comprising administering to a patient in need thereof an effective amount of at least one compound of the formula I\*





enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

$X^1$ ,  $X^2$  and  $X^3$ , together with the atoms to which they are bonded, form a ring selected from:



$R^1$ ,  $R^2$ ,  $R^5$ ,  $R^6$  and  $R^7$  are independently selected from groups of the formula  $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$ ;

$R^4$  is alkyl or substituted alkyl;

$Z^1$  is  $-CZ^3Z^4$ -,  $-O$ -,  $-NZ^3$ -,  $-S$ -,  $-SO$ -,  $-SO_2$ -,  $-C(O)$ -,  $-C(O)Z^3$ -,  $-C(O)NZ^4$ -,  $-C(S)$ -,  $-C(=NOZ^3)$ -, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^2$  is hydrogen;  $-OZ^5$ ,  $-OC(O)Z^5$ ,  $-NZ^5-C(O)-Z^6$ ,  $-NZ^5-CO_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-NO_2$ , halo,  $-CN$ ,  $-C(O)Z^5$ ,  $-CO_2Z^5$ ,  $-C(S)Z^5$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^5Z^6$ ,  $-C(S)NZ^5Z^6$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO_2Z^5$ ,  $-SO_2NZ^5Z^6$ , alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or



$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO^2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;


or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and


q is an integer selected from 1 to 3.

~~72.~~ 78. (Previously presented) A method of treating epilepsy comprising administering to a patient in need thereof an effective amount of at least one compound of the formula I\*



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

X<sup>1</sup>, X<sup>2</sup> and X<sup>3</sup>, together with the atoms to which they are bonded, form a ring selected from:



R<sup>1</sup>, R<sup>2</sup>, R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are independently selected from groups of the formula -(CH<sub>2</sub>)<sub>n</sub>-(Z<sup>1</sup>)<sub>m</sub>-(CH<sub>2</sub>)<sub>p</sub>-Z<sup>2</sup>;

R<sup>4</sup> is alkyl or substituted alkyl;

Z<sup>1</sup> is -CZ<sup>3</sup>Z<sup>4</sup>-, -O-, -NZ<sup>3</sup>-, -S-, -SO-, -SO<sub>2</sub>-, -C(O)-, -C(O)Z<sup>3</sup>-, -C(O)NZ<sup>4</sup>-, -C(S)-, -C(=NOZ<sup>3</sup>)-, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z<sup>2</sup> is hydrogen; -OZ<sup>5</sup>, -OC(O)Z<sup>5</sup>, -NZ<sup>5</sup>-C(O)-Z<sup>6</sup>, -NZ<sup>5</sup>-CO<sub>2</sub>-Z<sup>6</sup>, -NZ<sup>5</sup>(C=O)-NZ<sup>6</sup>Z<sup>7</sup>, -NZ<sup>5</sup>Z<sup>6</sup>, -NO<sub>2</sub>, halo, -CN, -C(O)Z<sup>5</sup>, -CO<sub>2</sub>Z<sup>5</sup>, -C(S)Z<sup>5</sup>, -(C=NOZ<sup>5</sup>)Z<sup>6</sup>, -C(O)NZ<sup>5</sup>Z<sup>6</sup>, -C(S)NZ<sup>5</sup>Z<sup>6</sup>, -SZ<sup>5</sup>, -SOZ<sup>5</sup>, -SO<sub>2</sub>Z<sup>5</sup>, -SO<sub>2</sub>NZ<sup>5</sup>Z<sup>6</sup>, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

Z<sup>3</sup>, Z<sup>4</sup>, Z<sup>5</sup>, Z<sup>6</sup> and Z<sup>7</sup> are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO^2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;


or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

$n$  and  $p$  are independently selected from integers from 0 to 10 wherein, when  $m$  is 0,  $p$  is also 0;

$m$  is an integer selected from 0 or 1; and


$q$  is an integer selected from 1 to 3.

~~73.~~ 79. (Previously presented) A method of treating  $I_{kur}$ -associated conditions comprising administering to a patient in need thereof an effective amount of at least one compound of the formula  $I^*$



enantiomers, diastereomers or pharmaceutically acceptable salts thereof, wherein

$X^1$ ,  $X^2$  and  $X^3$ , together with the atoms to which they are bonded, form a ring selected from:



$R^1$ ,  $R^2$ ,  $R^5$ ,  $R^6$  and  $R^7$  are independently selected from groups of the formula  $-(CH_2)_n-(Z^1)_m-(CH_2)_p-Z^2$ ;

$R^4$  is alkyl or substituted alkyl;

$Z^1$  is  $-CZ^3Z^4$ -,  $-O$ -,  $-NZ^3$ -,  $-S$ -,  $-SO$ -,  $-SO_2$ -,  $-C(O)$ -,  $-C(O)Z^3$ -,  $-C(O)NZ^4$ -,  $-C(S)$ -,  $-C(=NOZ^3)$ -, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^2$  is hydrogen;  $-OZ^5$ ,  $-OC(O)Z^5$ ,  $-NZ^5-C(O)-Z^6$ ,  $-NZ^5-CO_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-NO_2$ , halo,  $-CN$ ,  $-C(O)Z^5$ ,  $-CO_2Z^5$ ,  $-C(S)Z^5$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^5Z^6$ ,  $-C(S)NZ^5Z^6$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO_2Z^5$ ,  $-SO_2NZ^5Z^6$ , alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo;

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  are independently hydrogen, halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; or

$Z^3$ ,  $Z^4$ ,  $Z^5$ ,  $Z^6$  and  $Z^7$  may, in one or more pairs of two, together with the atoms to which they are bonded, form a carbocyclic, substituted carbocyclic, heterocyclic or substituted heterocyclic group;

$R^{3*}$  is  $-OZ^5$ ,  $-OC(O)-Z^5$ ,  $-NZ^5-C(O)_2-Z^6$ ,  $-NZ^5(C=O)-NZ^6Z^7$ ,  $-NZ^5Z^6$ ,  $-(C=NOZ^5)Z^6$ ,  $-C(O)NZ^{5*}Z^{6*}$ ,  $-C(S)NZ^{5*}Z^{6*}$ ,  $-SZ^5$ ,  $-SOZ^5$ ,  $-SO^2Z^5$ ,  $-SO_2NZ^5Z^6$ ,  $-C(O)Z^{3*}-Z^{2*}$ , halo, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo or substituted heterocyclo;

$Z^{2*}$  is other than hydrogen when  $Z^{3*}$  is heterocyclo;

$Z^{3*}$  is heterocyclo or substituted heterocyclo;

$Z^{5*}$  is substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo; and

$Z^{6*}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, carbocyclo, substituted carbocyclo, aryl, substituted aryl, heterocyclo, or substituted heterocyclo, provided that  $Z^{6*}$  is not hydrogen when  $Z^{5*}$  is unsubstituted cycloalkyl, unsubstituted aryl, or unsubstituted benzyl;

or  $Z^{5*}$  and  $Z^{6*}$  may together with the nitrogen atom to which they are bonded form a heterocyclic group or substituted heterocyclic group, provided that  $Z^{5*}$  and  $Z^{6*}$  do not together form unsubstituted piperidinyl, unsubstituted pyrrolidinyl, or unsubstituted morpholinyl;

n and p are independently selected from integers from 0 to 10 wherein, when m is 0, p is also 0;

m is an integer selected from 0 or 1; and

q is an integer selected from 1 to 3.

80. (New) A compound of claim 64 selected from the group consisting of

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(5-phenyl-2-oxazolyl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(5-phenyl-1,3,4-oxa-diazol-2-yl)pyrazolo[1,5-a]pyrimidine;

6-(1H-Benzimidazol-2-yl)-7-(3,4-dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

6-(2-Benzothiazolyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(1-methyl-1H-benzimi-dazol-2-yl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[5-(trifluoromethyl)-1-propyl-1H-benzimidazol-2-yl]pyrazolo[1,5-a]pyrimidine;

6-(5-Butyl-1,3,4-oxadiazol-2-yl)-7-(3,4-dichlorophenyl)-4,7dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-6-(4-methyl-1H-benzimidazol-2-yl)pyra-zolo[1,5-a]pyrimidine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-5-methyl-6-(1-methyl-1H-benzimidazol-2-yl)pyra-zolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-6-(imida-zo[1,5-a]pyridin-3-yl)-5-methylpyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(1-ethyl-5-nitro-1H-benzimidazol-2-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine;

6-[5-Chloro-1-(1-methylethyl)-1H-benzimidazol-2-yl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidine;

6-(5-Chloro-1-ethyl-1H-benzimidazol-2-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-propyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-methylpyra-zolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[1-(1-methylethyl)-5-(trifluoromethyl)-1H-benzimidazol-2-yl]pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine, enantiomer A;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine, enantiomer B;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[1-(phenylmethyl)-1H-benzimidazol-2-yl]pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-6-(imidazo[1,5-a]pyridin-3-yl)-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(2,3-Dichlorophenyl)-4,7-dihydro-6-(imidazo[1,5-a]pyridin-3-yl)-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(2,3-Dichlorophenyl)-6-(4-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(4-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(2,3-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-6-(5-fluoro-1-methyl-1H-benzimidazol-2-yl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidine enantiomer A;

6-(1-Chloro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-3-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(1-methyl-1H-thieno[3,4-d]imidazol-2-yl)pyrazolo[1,5-a]pyrimidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-(4-methyl-4H-imidazo[3,4-d][1,2,5]thiadiazol-5-yl)pyrazolo[1,5-a]pyrimidine; and

7-(3,4-Dichlorophenyl)-6-(1,6-dihydro-1,3,6-trimethylimidazo[4,5-c]pyrazol-5-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine.

81. (New) A compound of claim 61, wherein  $R^{3*}$  is  $-C(O)NZ^{5*}Z^{6*}$ .

82. (New) A compound of claim 81 selected from the group consisting of

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;



1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-3-pyridinylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine, enantiomer A;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine, enantiomer B;

1-[[7-(4-Chlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-methyl-piperazine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[5-(3,4-Dichlorophenyl)-5,8-dihydro-7-methyl-imidazo[1,2-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(phenyl-methyl)piperidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(phenyl-methyl)piperazine;

1-[[7-(3-Chlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl[1,2,4]triazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;



1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-(4-Fluorophenyl)-4-[(4,7-dihydro-5-methyl-7-phenylpyrazolo[1,5-a]pyrimidin-6-yl)carbonyl]piperazine;

1-[[7-(3,4-Dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer A;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[5-(2,3-Dichlorophenyl)-5,8-dihydro-7-methyl-imidazo[1,2-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-(4-Fluorophenyl)-4-[[7-(3-fluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[7-(3,5-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[(7-Cyclohexyl-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl)carbonyl]-4-phenylpiperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[(4-phenyl-1-piperazinyl)-carbonyl]pyrazolo[1,5-a]pyrimidine-3-carboxylic acid ethyl ester;

1-[[4-(2,3-Dichlorophenyl)-4,6,7,8-tetrahydro-2-methyl-1H-pyrimido[1,2-a]pyrimidin-3-yl]carbonyl]-4-phenyl-piperazine;

4-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1-pipera-zinecarboxylic acid 1,1-dimethylethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-phenylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(2,3-Dichlorophenyl)-2-(1,1-dimethylethyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[[3-phenylpropyl)amino]carbonyl]pyrazolo[1,5-a]pyrimidine-3-carboxylic acid ethyl ester;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-6-[(4-phenyl-1-piperazinyl)-carbonyl]pyrazolo[1,5-a]pyrimidine-2-carboxylic acid ethyl ester;

1-[[3-Cyano-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(3-phenylpropyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-pipera-zinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyri-midine-2-carboxylic acid methyl ester;

(2S)-1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[7-(2,3-Dichlorophenyl)-2-fluoro-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[2-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

(2S)-1-[[2-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

(2S)-1-[[7-(2,3-Dichloro-phenyl)-2-fluoro-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

4-[6-[[4-(4-Fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-7-yl]benzoic acid methyl ester;

1-(4-Fluorophenyl)-4-[[7-(2-fluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[7-(2-Chlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-7-(2-methoxyphenyl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,4-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,5-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

-[[4,7-Dihydro-5-methyl-7-[2-(trifluoromethyl)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-methylphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-phenoxyphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3,5-Dimethoxyphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[3-(phenylmethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-7-(3-hydroxyphenyl)-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[3-(trifluoromethyl)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-methylphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(4-Cyanophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-(4-Fluorophenyl)-4-[[7-(4-fluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

N-[4-[6-[[4-(4-Fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-7-yl]phenyl]acetamide;

1-[[7-[4-(Dimethyl-amino)phenyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(4-methoxyphenyl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(phenylmethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(4-Butoxyphenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-thienyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-thienyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(trifluoromethyl)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(4-methylphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-nitrophenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(4-nitrophenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,6-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,4-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,5-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,5-Difluorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[2-(phenylmethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3,4-Dimethylphenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(trifluoromethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[3-(trifluoromethoxy)phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3-Cyanophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(3-methoxyphenyl)-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(4-Chlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(4-phenoxyphenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-nitrophenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(5-methyl-2-furanyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(1H-imidazol-2-yl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(1H-pyrrol-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(2-pyridinyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3-Chloro-4-methoxy-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(4-methoxy-1,3-benzodioxol-6-yl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-[5-(hydroxymethyl)-2-furanyl]-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-7-(1H-indol-3-yl)-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(3-pyridinyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;



1-[[[4,7-Dihydro-5-methyl-7-(3-quinoliny)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[4,7-Dihydro-5-methyl-7-(4-quinoliny)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[7-(2,3-Dihydro-1,4-benzodioxin-6-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[4,7-Dihydro-5-methyl-7-(2,3,5-trichloro-phenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[7-(2,5-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-(4-Fluorophenyl)-4-[[[7-(3-furanyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[[7-(2-Benzofuranyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[4,7-Dihydro-5-methyl-7-(3-methylbenzo[b]thiophen-2-yl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[4,7-Dihydro-5-methyl-7-(2-quinoliny)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[4,7-Dihydro-5-methyl-7-(2-thiazolyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-(4-Fluorophenyl)-4-[[[7-(2-furanyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[[4,7-Dihydro-7-[3-methoxy-4-(phenylmethoxy)phenyl]-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[4,7-Dihydro-7-[4-methoxy-3-(phenylmethoxy)phenyl]-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[4,7-Dihydro-5-methyl-7-(2-naphthalenyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[[7-[3,4-Bis(phenyl-methoxy)phenyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(1,3-Benzodioxol-5-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-[3,5-Bis(trifluoro-methyl)phenyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[5-[1-methyl-3-(trifluoromethyl)-1H-pyrazol-5-yl]-2-thienyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(5-Ethyl-2-furanyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dihydro-5-benzofuranyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3-Bromophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(1-pyrrolidinyl)-phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-[4-(1-pyrrolidinyl)-phenyl]pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine

1-[[4,7-Dihydro-5-methyl-7-(5-methyl-2-thienyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(1,3-Benzodioxol-4-yl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(5-Chloro-2-thienyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,5-Dimethylphenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer A;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;



1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer A;

8-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,4-dioxo-8-azaspiro[4.5]decane;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2-methoxy-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]-pyrimidin-6-yl]carbonyl]-4-[3-(trifluoromethyl)-phenyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-nitrophenyl)piperazine;

1-(4-Acetylphenyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-(2-Chlorophenyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]-carbonyl]-4-(4-methoxy-phenyl)piperazine;

1-(3,4-Dichlorophenyl)-4-[[7-(3,4-dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]-carbonyl]piperazine;

1-(3,5-Dichlorophenyl)-4-[[7-(3,4-dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]-carbonyl]piperazine;

1-(4-Chlorophenyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-(3-Chlorophenyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyra-zolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(3-methoxy-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-methyl-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5a]-pyrimidin-6-yl]car-bonyl]-4-[4-(trifluoromethyl)-phenyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(2-fluoro-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(3,4-dimethyl-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(3,4-dimethyl-phenyl)piperazine;

7-(3,4-Dichlorophenyl)-N-[2-[(4-fluoro-phenyl)amino]ethyl]-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine-6-carboxamide;

4-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1-piperazinecarboxylic acid phenylmethyl ester;

7-(3,4-Dichlorophenyl)-N-ethyl-N-[(2-fluorophenyl)methyl]-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine-6-carboxamide;

N-[(3-Chloro-4-methoxyphenyl)methyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyri-midine-6-carboxamide;

1-(1,3-Benzodioxol-5-ylmethyl)-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

4-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1-piperazinecarboxylic acid ethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2-pyridinyl)piperazine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[Bis(4-fluorophenyl)-methyl]-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(2-furanyl-carbonyl)piperazine;

1-Cyclohexyl-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2-methoxyethyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(9H-fluoren-9-yl)piperazine;

(2R)-1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2,3-dimethyl-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-piperidine-carboxylic acid ethyl ester;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N,N-diethyl-3-piperidinecarboxamide;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-piperidine-carboxylic acid ethyl ester;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-methyl-piperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3,5-dimethyl-piperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-hydroxy-piperidine;

4-(4-Chlorophenyl)-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-hydroxypiperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-piperidine-carboxylic acid ethyl ester;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-methylpiperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroquinoline;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]-pyrimidin-6-yl]carbonyl]-decahydroquinoline;

2-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroisoquinoline;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-propylpiperidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(hydroxydiphenylmethyl)piperidine;

7-(3,4-Dichlorophenyl)-N-[(2-fluoro-phenyl)methyl]-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

2-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indole;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(phenylamino)-ethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(phenyl-amino)methyl]pyrrolidine;

N-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

3-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazole;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3,4-dihydro-1H-indole;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]azetidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]octahydroazocine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[2-(2-pyridinyl)-ethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-(phenylmethyl)glycine ethyl ester;

trans-7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylcyclopropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-methylpyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-methylaziridine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[[2,6-dimethylphenyl]amino]methyl]pyrrolidine;

7-(3,4-Dichlorophenyl)-N-ethyl-4,7-dihydro-5-methyl-N-(4-pyridinylmethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1R)-1-phenylethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1S)-1-phenylethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

6-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,3,3-trimethyl-6-azabicyclo[3.2.1]octane;

7-(3,4-Dichlorophenyl)-N-(hexahydro-1H-azepin-1-yl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]aziridine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]octahydro-1H-azonine;

(2R-trans)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,5-bis(methoxymethyl)-pyrrolidine;

(2S-trans)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,5-bis(methoxymethyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-prolinamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-D-prolinamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-2-methyl-1H-indole;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-5-nitro-1H-indole;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-6-nitro-1H-indole;

4-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-thiomorpholine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-proline methyl ester;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine, enantiomer A;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine, enantiomer B;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-proline 1,1-dimethylethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-(2-naphthalenyl)-L-prolinamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydro-2-methylquinoline;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-6-fluoro-1,2,3,4-tetrahydro-2-methylquinoline;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-proline phenylmethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-D-proline phenylmethyl ester;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-hydroxy-L-proline phenylmethyl ester;



1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)-2-methylpiperazine;

3-Chloro-N-cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

4-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-thiomorpholine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-1H-indole;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-octahydroazocine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1S)-1-phenylethyl]-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1R)-1-phenylethyl]-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]-carbonyl]-2-(methoxy-methyl)piperidine;

[(3R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-pyrrolidinyl]carbamic acid 1,1-dimethylethyl ester;

[(3S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-pyrrolidinyl]carbamic acid 1,1-dimethylethyl ester;

(3R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-(di-methylamino)pyrrolidine;

N-[1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-pyrrolidinyl]acetamide;

N-[1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-pyrrolidinyl]-N-methylacetamide;

3-Chloro-7-(3-chlorophenyl)-N-cyclohexyl-4,7-dihydro-N,5-dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-decahydroquinoline;

2-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroisoquinoline;

4-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-thiomorpholine;

N-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-azacyclotridecane;

9-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-dodecahydro-1H-fluorene;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-octahydroazocine;

1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1S)-1-phenylethyl]pyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-decahydroquinoline;



2-[[3-Chloro-7-(3-chlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroisoquinoline;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

(2S)-1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-1H-indole;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]hexahydro-1H-azepine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-di-methyl-N-[(1S)-1-phenylethyl]-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1R)-1-phenylethyl]-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,N-bis(2-methoxyethyl)-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N,N-bis(2-ethoxyethyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-(2-methoxyethyl)-N,5-dimethylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-(2-methoxyethyl)-5-methyl-N-propylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

2-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydroisoquinoline;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-octahydroazocine;

3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[(1S)-1-phenylethyl]-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

3-Chloro-N-cyclohexyl-7-(2,3-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-ethyl-4,7-dihydro-N-(2-methoxyethyl)-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-methylglycine ethyl ester;

N-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-methylglycine 1,1-dimethylethyl ester;

N-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-N-(2-ethoxy-2-oxoethyl)glycine ethyl ester;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-pyridinyl)piperidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,4-tetrahydro-6-methylquinoline;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-propylpiperidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(diethylamino)methyl]piperidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenoxyethyl)-pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[(7-Cyclopropyl-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl)carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4,7-Dihydro-5-methyl-7-(1-methyl-ethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[4,7-Dihydro-5-methyl-7-(1-methyl-ethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxy-methyl)pyrrolidine;

1-[[4,7-Dihydro-5-methyl-7-(1-methyl-ethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2,3-dihydro-1H-indole;

1-[[4,7-Dihydro-5-methyl-7-(1-methylethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

3-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazolidine, enantiomer A;

3-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazolidine, enantiomer B;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-(phenyl-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-(2-phenylethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylethyl)-N-(phenylmethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phe-noxymethyl)pyrrolidine;

(2R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenoxymethyl)pyrro-lidine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(4-fluorophenoxy)methyl]-pyrrolidine;

(2R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(4-fluorophenoxy)methyl]-pyrrolidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-(2-methoxyethyl)-5-methylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(hydroxydiphenylmethyl)pyrrolidine;

(2R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(hydroxydiphenylmethyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-pyridinyl)pyrrolidine;

(2S)-1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrro-lidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-phenylpyrrolidine;

3-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-phenylthia-zolidine;

3-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-thiazolidinecarboxylic acid methyl ester;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-(3-phenyl-propyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-ethyl-4,7-dihydro-5-methyl-N-(3-phenyl-propyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(3-phenylpropyl)-N-propylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Butyl-7-(3,4-dichloro-phenyl)-4,7-dihydro-5-methyl-N-(3-phenyl-propyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

2-(4-Chlorophenyl)-3-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazolidine;

N-(Cyclopropylmethyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-N-propylpyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)piperidine;

8-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1-phenyl-1,3,8-triazaspiro[4.5]decan-4-one;

4-(4-Chlorophenyl)-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,2,3,6-tetrahydropyridine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-phenyl-ethyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-methoxy-phenyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-methoxy-phenyl)pyrrolidine;

(3R)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-phenoxy-pyrrolidine;

(2S)-2-[(Cyclohexyl-oxy)methyl]-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenyl-methyl)pyrrolidine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenoxymethyl)pyrrolidine, diastereomer A;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenoxymethyl)pyrrolidine, diastereomer B;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methoxy-phenyl)pyrrolidine;

(2S)-2-(Butoxymethyl)-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-thienyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-pyridinyl)pyrrolidine(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-[(methoxymethoxy)-methyl]pyrrolidine;

(2S)-2-(1H-Benzimidazol-1-ylmethyl)-1-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-furanyl)pyrrolidine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-pyridinyl)pyrrolidine;

(3S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-phenoxypyrrolidine;

(3S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-3-phenoxypyrrolidine;

(2S)-1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine, enantiomer A;

(2S)-1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine, enantiomer B;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-L-proline;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-[(1R)-2,3-dihydro-1H-inden-1-yl]-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(2,3-dihydro-1H-inden-2-yl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-D-phenylalanine methyl ester;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(1,2,3,4-tetrahydro-1-naphthalenyl)-2-(trifluoro-methyl)pyra-zolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[3-(2-oxo-1-pyrroli-dinyl)propyl]-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(2-furanylmethyl)-4,7-dihydro-5-methyl-2-(tri-fluoromethyl)pyra-zolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(3,4-dichloro-phenyl)methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyra-zolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-[(2R)-2-(methoxymethyl)-1-pyr-rolidinyl]-5-methyl-2-(trifluoromethyl)pyra-zolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(tetrahydro-2-furanyl)-methyl]-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carbo-xamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N-[(1S)-2,3-dihydro-1H-inden-1-yl]-5-methyl-2-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[2-(3,4-dichloro-phenyl)ethyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyra-zolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)-N-[[4-[(trifluoromethyl)thio]-phenyl]methyl]pyrazolo-[1,5-a]pyrimidine-6-carboxamide;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7di-hydro-5-methyl-2-(trifluoro-methyl)pyra-zolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(1-pyrrolidinylmethyl)-pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(1-naphthalenylsulfonyl)piperazine;



1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-[(4-ethylphenyl)sulfonyl]-piperazine;

1-[(4-Bromo-5-chloro-2-thienyl)sulfonyl]-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-[[2-(trifluoro-methoxy)phenyl]sulfonyl]piperazine;

1-[(5-Chloro-3-methyl-benzo[b]thiophen-2-yl)sulfonyl]-4-[[7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]piperazine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-[(3-methoxyphenyl)carbonyl]piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(1-oxo-3-phenyl-2-propenyl)-piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-pyridinylcarbonyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-4,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-2,4,5-trimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4-[(4-fluorophenyl)methyl]-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(2,3-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-2,5-dimethylpyrazolo[1,5-a]pyrimidine-4(7H)-acetic acid ethyl ester;



7-(2,3-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-N,N,2,5-tetramethylpyrazolo[1,5-a]pyrimidine-4(7H)-acetamide;

1-[[7-(2,3-Dichlorophenyl)-4-[2-(dimethylamino)ethyl]-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[4-(Cyclopropylmethyl)-7-(2,3-dichlorophenyl)-4,7-dihydro-2,5-dimethylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(2,3-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-N,N,2,5-tetramethylpyrazolo[1,5-a]pyrimidine-4(7H)-carboxamide;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-4-methyl-5-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-4,7-dihydro-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-2-methyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-2,4-dimethyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-2,4-dimethyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(4-fluoro-phenyl)piperazine, enantiomer B;

1-[[7-(2,3-Dichloro-phenyl)-4,7-dihydro-2,4-dimethyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(4-fluoro-phenyl)piperazine; enantiomer A;

1-[[7-(3,4-Dichlo-rophenyl)-4,7-dihydro-5-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-4,7-dihydro-2-methyl-5-(trifluoro-methyl)pyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[1-Benzoyl-7-(2,3-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[1-Benzoyl-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-phenyl-piperazine;

1-[[1-Acetyl-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]car-bonyl]-4-phenyl-piperazine;

1-[[7-(3,4-Dichloro-phenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxo-1-(1-oxobutyl)-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[1-(Cyclopropyl-carbonyl)-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[1-(Cyclopropyl-carbonyl)-7-(2,3-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichloro-phenyl)-1,2,4,7-tetrahydro-5-methyl-1-(3-methyl-1-oxobutyl)-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)-piperazine;

1-[[7-(2,3-Dichloro-phenyl)-(2,2-dimethyl-1-oxopropyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine;

1-[[1-(Cyclopropyl-carbonyl)-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[1-(Cyclobutyl-carbonyl)-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(3,4-Dichloro-phenyl)-1,2,4,7-tetrahydro-5-methyl-1-(2-methyl-1-oxopropyl)-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluoro-phenyl)piperazine;

1-[[7-(2,3-Dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-1-[(1-methylethyl)sulfonyl]-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[7-(3,4-Dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-1-[(1-methylethyl)sulfonyl]-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(1-methylethyl)-2-oxo-6-[(4-phenyl-1-piperazinyl)carbonyl]pyrazolo[1,5-a]pyrimidine-1(2H)-carboxamide;

7-(2,3-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-2-oxo-6-[(4-phenyl-1-piperazinyl)-carbonyl]pyrazolo[1,5-a]pyrimidine-1(2H)-carboxamide;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-methyl-2-oxo-6-[(4-phenyl-1-piperazinyl)carbonyl]-pyrazolo[1,5-a]pyrimidine-1(2H)-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-N,N,5-trimethyl-2-oxopyrazolo[1,5-a]pyrimidine-1(2H)-carboxamide;

1-[[1-(3-Butenyl)-7-(3,4-dichlorophenyl)-1,2,4,7-tetrahydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-1,2,4,7- tetrahydro-5-methyl-2-oxo-1-(2,2,2-trifluoroethyl)pyrazolo-[1,5-a]pyrimidin-6-yl]carbonyl]- 4-(4-fluorophenyl)piperazine;

1-[[7-(3,4-Dichlorophenyl)-1,2,4,7tetrahydro-5-methyl-2-oxo-1,4-bis(2,2,2-trifluoroethyl)pyrazolo[1,5-a]pyrimidin-6- yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methyl-2-oxopyrazolo[1,5-a]pyrimidine-1(2H)-carboxylic acid 1-methylethyl ester;

1-[(4,7-Dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl)carbonyl]-4-phenylpiperazine 7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxylic acid;

7-(3,4-Dichlorophenyl)-N,N-diethyl-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-N-(4-hydroxyphenyl)-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxamide;

1-[[7-(3,4-Dichloro-phenyl)-4,7dihydro-5-methyl-2-[[[(2S)-2-(1-pyrrolidinylmethyl)-1-pyrrolidinyl]carbonyl]-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidine-2-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methyl-N-(phenylmethyl)pyrazolo-[1,5-a]pyrimidine-2-carboxamide;

7-(3,4-Dichlorophenyl)-6-[[4-(4-fluorophenyl)-1-piperazinyl]carbonyl]-4,7-dihydro-5-methyl-N-(2-phenylethyl)-pyrazolo[1,5-a]pyri-midine-2-carboxamide;

1-[[2-Cyano-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[3-Bromo-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenylpiperazine, enantiomer B;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-phenyl-piperazine, enantiomer A;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-5-methyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer B;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[3-Chloro-7-(2,3-dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer A;

1-[[3-Chloro-7-(3,4-dichlorophenyl)-4,7-dihydro-2,5-dimethyl-pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine, enantiomer B;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)-N-(2-pyridinylmethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(2,3-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)-N-(2-pyridinylmethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-fluorophenyl)pyrrolidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-(methoxymethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

5-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[5-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydropyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[5-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydropyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-phenyl-N-(3-phenylpropyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-phenylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(4-fluorophenyl)piperazine;

(2S)-1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-phenylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(methoxymethyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-phenylpyrazolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-thienyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-methoxyphenyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-furanyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-pyridinyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(4-pyridinyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(phenylmethyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-methoxyphenyl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(2-phenylethyl)pyrrolidine;

7-(3,4-Dichlorophenyl)-N-(2,3-dimethylcyclohexyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[1-(1-naphthalenyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(1-piperidiny)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(2,2-diphenylethyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[2-(1-Cyclohexen-1-yl)ethyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(phenylthio)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-([1,1'-Bicyclohexyl]-2-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[2-[[2,6-dichlorophenyl)methyl]thio]ethyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(2-Chloro-6-methylphenyl)methyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-(Bicyclo[2.2.1]heptan-2-yl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cyclobutyl-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cyclopentyl-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cyclohexyl-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-methylcyclohexyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-(Cyclohexylmethyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-(2-Cyanoethyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;



7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(1-methyl-2-pyrrolidinyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(1-ethyl-2-pyrrolidinyl)methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(1-pyrrolidinyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cyclohexyl-7-(3,4-dichlorophenyl)-N-ethyl-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-Cycloheptyl-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-[(1S,2S)-1-(hydroxymethyl)-2-methylbutyl]-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

3-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]thiazolidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-thienylmethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-methylpiperazine;

8-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-1,4-dioxo-8-azaspiro[4.5]decane;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-4-(phenylmethyl)piperidine;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[4-(4-morpholinyl)phenyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[3-(4-morpholinyl)propyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-N,5-dimethyl-N-[2-(2-pyridinyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(2,3-dihydro-1,4-benzodioxin-6-yl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;



7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(1-phenylethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(phenylmethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(2-fluorophenyl)methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(2-Chlorophenyl)methyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(4-fluorophenyl)methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(2-phenylethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[2-(4-Chlorophenyl)ethyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[(3,4-dichlorophenyl)methyl]-4,7-dihydro-N,5-dimethyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(2-Chlorophenyl)methyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-N,5-dimethyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(phenylmethyl)-N-propyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[[4-(1-methylethyl)phenyl]methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[2-[ethyl(3-methylphenyl)amino]ethyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-(Cyclopropylmethyl)-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[2-(6-fluoro-1H-indol-3-yl)ethyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[2-(Butylethylamino)ethyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[1-(phenylmethyl)-3-pyrrolidinyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[[4-(trifluoromethoxy)phenyl]methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[[3-(trifluoromethoxy)phenyl]methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(1R)-1-(1-naphthalenyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(1S)-1-(1-naphthalenyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

N-[(1S)-1-Cyclohexylethyl]-7-(3,4-dichlorophenyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(tricyclo[3.3.1.1<sup>3,7</sup>]decan-1-ylmethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(1R,2S,5R)-5-methyl-2-(1-methylethyl)cyclohexyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[2-(4-phenoxyphenyl)ethyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[[4-(1,2,3-thiadiazol-4-yl)phenyl]methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-(1-methyl-1-phenylethyl)-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methyl-N-[(5-methyl-2-furanyl)methyl]-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-[[[(2S)-1-ethyl-2-pyrrolidinyl]methyl]-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

7-(3,4-Dichlorophenyl)-N-(4,6-dimethyl-2-pyridinyl)-4,7-dihydro-5-methyl-2-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-6-carboxamide;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)pyrrolidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)piperidine;

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)piperidine diastereomer 1; and

1-[[7-(3,4-Dichlorophenyl)-4,7-dihydro-5-methylpyrazolo[1,5-a]pyrimidin-6-yl]carbonyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)piperidine diastereomer 2.

83. (New) A pharmaceutical composition comprising a compound as defined in Claim 61 in combination with one or more components selected from the group consisting of cyclooxygenase inhibitors, fibrinogen antagonists, diuretics, angiotensin converting enzyme inhibitors, angiotensin II antagonists, thrombolytic agents, calcium channel blocking agents, thromboxane receptor antagonists, prostacyclin mimetics and phosphodiesterase inhibitors.